ATTACHMENT TO PAPER NO.

NOTICE OF DRAFTSPERSON'S NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

The drawing(s) filed (insert date)		2 (2)	;	98.4 9000 FF 425.	118 cm 11 211 2 30	Corr sting	L
A	The drawing(s) filed (inser	rt date) <u> </u>			.*		
submission of new, corrected drawings when necessary. Corrected drawing must be sumited according to the instructions on the back of this notice. STO 2011 11 10 2017 (121-1) 1210 1211 1211 1211 1211 1211 1211 12	A. approved by the I	Draftsperson under 37 CFR 1.84 or 1	.152.			• .	
1. DRAWNOS 37 CFR 1.84(3) Acceptable categories of envirings: Black that: Color, 12 211 V STB V STB 107 12 211 11 V STB V	B. Dobjected to by the	e Draftsperson under 37 CFR 1.84 or	1.152 for the reasons	indicated below. The	Examiner will req	uire 	
1. DRAWNOS: 37 CFR 1.84(f) Acceptable categories of drawings: Black (nit: Color.10 2/31/375 //31/371 1	submission of new, correc	ged drawings when necessary. Corre	cted drawing must be	sumitted according to	the instructions of	the pack of this it	HICE.
1. DRAWINGS. 37 CFR 1.84(i): Acceptable categories of drawings: Black inth: Color 10 e210.7767b 7/91. 2011. 2011. 2011. 2011. 2011. 2011. 1. Color drawings are not secretable unit petition is granted. Fig(i) Fi	or MO on il llea ei	rangeres (v. 1. sadorum e. 195	Grander Brown St		real one.	Jan - 5-697	lί
Black ink: Color:10 2:43:74730 voil: 371 f. 3ftill 1925. Color drawings are not acceptable will be still a complete in the complete of the com	33110 (1) 11 7123 (3)						_
Color drawings are not acceptable until petition is granted. Fig(s) 1. PROTOGRAPHS 37 CFR 1.84(s) Photographs not properly mounted (must use brystol board or photographs could be weight paper) Fig(s) Triple of Paper 37 CFR 1.84(s) Triple of Paper 37 CFR 1.84(s) Triple of Paper 37 CFR 1.84(s) For quality (half-tone). Fig(s) Fig(s) Triple of Paper 37 CFR 1.84(s) Fig(s) Fig(s) Fig(s) Triple of Paper 37 CFR 1.84(s) Fig(s) Fig(s) Triple of Paper 37 CFR 1.84(s) Fig(s) F							
Fig(6) Pencil and non-black inh and permitted. Fig(6) Photographs no properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not used not photographs not not used not properly. Sheet(s) Name of the photograph not photographs not not photographs not not photographs not not photographs not not not photographs not not not photographs not	Black ink Color វារ ខម្មាន	gisk tipum to men gland	r verries #1114	Words do not appea	ar on a norizonial, le	it-to-right rashion	;5
2. PHOTOGRAPHS. 37 CFR 1.84(p) 1. full-tone set is required. Fig(s) 1. full-tone set is required. Fig(s) 1. full-tone set is required. Fig(s) 2. Flore part in direction weight paper) Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(p) 3. TYPE OF PAPER. 37 CFR 1.84(p) 3. TYPE OF PAPER. 37 CFR 1.84(p) 3. Fig(s) 4. Fig(s) 4. Fig(s) 5. Fig(s) 5. Fig(s) 5. Solid black areas puls. Fig(s) 5. NUMBERS, Solid black areas puls. Fig(s) 5. So	Color drawings are n	ot acceptable until petiton is granted.	- ಎಂಗಳಿಸಿ : ಿಮೆ	when page is citner	r uprigni or turneu so	rusi the top	A:
2. PROTOCRAPHS. 37 CFR 1.84 (b) 1. full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or properly mounted (must use brystol board natural) for properly mounted (must use brystol board (mark properly fig(s)) for place of properly fig(s) fig(rig(s)		00 at 12 at 0 00 S				-,
Photographs not properly mounted (must use bystal board or photographs count weight paper). Fig(s) Foor quality (fast-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(s) Fig(s) Silve of papers and flexible; strong, white, and durable. (19) Fig(s) Silve of PAPER. 37 CFR 1.84(s) Silve of PAPER. 37 CFR 1.84(s) Silve of PAPER. 37 CFR 1.84(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Solid black areas path, Fig(s) Fig(s) Solid black areas path, Fig(s) Numbers and reference characters and reference char							ق.
Photographs not properly mounted (must use brystol board or photographic double-weight paper). Pig(s) Top a paper and flexible, strong, white, and durable. Type of PAPER. 37 CFR 1.84(c) Paper and flexible, strong, white, and durable. Paper and flexible, strong, white, and durable and strong and durable. Paper and flexible, strong, white, and durable and strong and durable. Paper and flexible, strong, white, and durable and strong and durable. Paper and flexible, strong, white, and durable and strong and durable. Paper and flexible, strong, white, and durable and strong and durable. Paper and flexible, strong, white, and durable and strong and durable. Paper and flexible, strong, white, and will and bound and strong and durable. Paper and flexible, strong, white, and durable and strong and durable. Paper and flexible, strong, white, and durable and strong and durable. Paper and flexible, strong, white, and durable and strong and durable. Paper and flexible, strong, white, and durable and s			-	crowding when dra	wing is reduced in s	ize to two-thirds in	٠,
photographic double-weight paper), Fig(s) For outility (half-now), Fig(s) Paper double featible; strong; white, and durable. Strong; white, and strong defined, clean, durable, and black (poor line quality). Solid black areas pale. Fig(s) Numbers are reference characters not plantant legible; Fig(s) Numbers are reference characters not plantant legible; Fig(s) Solid black areas pale. Fig(s) Numbers are reference characters not plantant legible; Fig(s) Sol	Photographs not prop	perly mounted (must use brystol board o	or	reproduction.			
The OF PAPER 37 CFR 1.84(c) The paper not flexible; storing, white, and durable. The paper not flexible; storing, and black (poor line quality). The paper not an exceptable (con thin). In paper not a paper flexible should not permitted. Fig(s) The paper not not should be acceptable size. The paper not not should be not permitted. The paper not	photographic double	-weight naner)Fig(s)		Fig(s)	Little Table	Thin by E.	2.
The OF PAPER 37 CFR 1.84(c) The paper not flexible; storing, white, and durable. The paper not flexible; storing, and black (poor line quality). The paper not an exceptable (con thin). In paper not a paper flexible should not permitted. Fig(s) The paper not not should be acceptable size. The paper not not should be not permitted. The paper not		ne). Fig(s) 2,4,6,8,1	0,10,14,10.0	CHARACTER OF LINE	S, NUMBERS, & L	ETTEKS.	
Fig(s) defined, clean, durable, and black (poor line quality), Fig(s)		K 1.84(c)		/ Crjs-r.04(1)			
Easures, alterations, overwritings, interintentations Mylar, yelum paper is not acceptable (too thin) Mylar yelum paper is not acceptable (too thin) Mulper loo thin paper is not acceptable (to			سل معربات المحادث الجادات المدا	. defined clean dur	able, and black (poor	r line quality)	<i></i>
Mylar, whom paper, is not acceptable (too thin) Mylar, whom paper, is not acceptable (too thin) Fig(s)	Frances alterations	overwritings interlineations. 10:1.	anta, e e E	Fig(s) 7,3	5791	はんだい	ゔー
Solid black shading not permitted. Fig(s) Solid black shading not not permitted. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast.	folds conv.machine	marks not accepted. Fig(s) 171" U2 1"	Regitter 11: S	HADING. 37.CFR 1.8	4(m)/37 / 3/1/1	ded from Aditi	0
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (8) 12 x 11 inches) 21.6 cm by 27.9 cm (8, 12 x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Sheet(s) Sheet(s) Numbers and reference characters not plain and legable. Fig(s) Numbers and reference characters not oriented in the same disciplination of the same disciplination sightly view. 17 CFR 1.84(p)(1) Fig(s) Size As Size Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size As Size Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size As Size Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size As Size Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size As Size Top 27 cm Left 25 cm Bottom 1.0 cm Size As Size Top 27 cm Left 25 cm Right 15 cm Bottom 1.0 cm Fig(s) Left (1) sixch 17 cm Left 25 cm Left 25 cm Bottom 1.0 cm Size As Size Top (1) sixch 17 cm Left 25 cm Left 25 cm Bottom 1.0 cm Right (R) Drawings sheets not oriented in the same size. Fig(s) Size As Size Top 27 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size As Size Top (1) sixch 17 cm Left 25 cm Left	Mylar, yelum paper i	is not acceptable (too thin).	- eltino autenuice	South Discus areas p			93.
21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (21.0 cm) by 27.0 cm	rig(s)			Solid black shading	g not permitted. Fig	(S)	. 1
21.6 cm by 27.9 cm (8,1/2 x 11 inches) All drawing sheets not the same size!! hit 21							ďu.
All drawing sheets not the same size!! It is a sheet (s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Size (AS) Size (AS) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Right (R) Size (AS) Right (R) Bottom (R) Right (R) Bottom (R) Right (R) Bottom (R) Price (R) Price (R) Right (R) Bottom (R) Price (R) Reminible (R) Reminib					& REFERENCE CI	MACIERS.	J. 4
Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: R1-2-CFT 1.874-g-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	All descripe sheets of	(A 1/2 X II inches)	ang (buo. Rail	Numbers and refer	rence characters not	plain and legible.	કો
Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: 8.12-7.1			•		_		
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Eaglish alphabet not used. 37 CFR 1.84(p)(2) Eaglish alphabet not used. 37 CFR 1.84(p)(2) Eaglish alphabet not used. 37 CFR 1.84(p)(3) Right (R) Top (T) Right (R) Bottom (B) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity: Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Haiching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast.		an acceptable size. Fig(s)					
Top 2.5 cm Left 2.5 cm, Right 1.5 cm Bottom 1.0 cm SIZE 3.4 Size Top 2.5 cm Left 2.5 cm, Right 1.5 cm Bottom 1.0 cm SIZE 3.4 Size Top 2.5 cm Left 2.6 cm, Right 1.5 cm Bottom 1.0 cm and 1.0 cm Right 1.3 cm Left 2.6 cm, Right 1.5 cm Bottom 1.0 cm and 1.0 cm Right 1.3 cm Left 1.2 st 1.0 cm, Right 1.5 cm Bottom 1.0 cm and 1.0 cm Right 1.3 cm Left 1.3 cm Left 1.3 cm, Left 1.3 cm Left 1	5. MARGINS. 37 CFR 1.84	(g): Acceptable margins:		Numbers and refer	rence characters not	oriented in the	1
English alphabet not used. 37 CFR 1.84(p)(2) Top 25 cm titlet 126 cm lifety 13 cm 18 c	SECTION STREET	out to accuse the control of	WBIN INCHES	Fig(s)	me view 20 v Critica	GithKills Parent	
Top 25 chatters 25 characters Bostom 10 characters and 12	lop 2.5 cm Len 2.5 cm k	tight 1.5 cm Bottom 1.0 cm			not used. 37 CFR 1.8	34(p)(2)	1
Margins not acceptable: Fig(s) Top (T) Right (R) Bottom (B) KPMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity: Fig(s) Lend (Tiber (B)) Views not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Socious designation should be noted with Arabic or Roman numbers. Fig(s) Socious designation should be noted with Arabic or Roman numbers. Fig(s) Socious designation should be noted with Arabic or Roman numbers. Fig(s) Socious designation should be noted with Arabic or Roman numbers. Fig(s) Socious designation should be noted with Arabic or Roman numbers. Fig(s) Socious designation should be noted with Arabic or Roman numbers. Fig(s) Socious designation should be noted with Arabic or Roman numbers. Fig(s)	Too 2.5 cm Left 25 cm	Right I S'em Bottom 1:0 cm at 4 at C	बती पूर्व ठेवपता अभी	HET RIOS PH TIARIS TO	no zasiwata s	l chanves to th	ia i
Margins not acceptable: Fig(a) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity: Fig(s) Views not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) 7. SECTIONAL VIEWS: 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Right (L) Right (R) Bottom (B) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic numerals: beginning with number 1. Sheet(s) Views not labeled separately or property. Fig(s) 7. SECTIONAL VIEWS: 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Solid black shading not used for color contrast.	nedt varte SIZE: 8.17	2.11 holiosocoti ace and	eatr Jarly Bittardia	Numbers, letters a	nd reference charact	ers must be at least.	v.d
Right (R) Bottom (B) 6. VIEWS, 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) The sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast: Fig(s) Solid black shading not used for color contrast: Fig(s) Solid black shading not used for color contrast:	Margins not acceptable.	Fig(s) 1513, 1,911	12 17				
Lead lines cross each other, Fig(s) Lead lines missing, Fig(s) Lead			المناه المالا الحرائج	EAD LINES 37 CED	1 84/6)	erer and lengthment	,,,
REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity: Fig(s) Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Associated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Fig(s) Sectional designation should be noted with Arabic or Fig(s) F			13. 1			14.4 Sept.	73.
correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Haiching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(l) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(a) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.52 Sufface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast: Fig(a) Fig(a) Fig(a) Fig(a)							
Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity: Fig(s) Views not labeled separately or property. Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Haiching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Fig(s)			14. 1			S. 37 CFR 1.84(I)	
Fig(s) Views not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) 7. SECTIONAL VIEWS: 37 CFR 1.84 (h)(3) — Corrections not made from prior PTO-948 dated — Hatching not indicated for sectional portions of an object. Fig(s) — Sectional designation should be noted with Arabic or Roman numbers. Fig(s) — Solid black shading not used for color contrast: Fig(s) — Fig(s) — Solid black shading not used for color contrast: Fig(s)						d in Arabic numeral	S
Views not labeled separately or property. Fig(s) Enlarged view not labeled separetely or property. Fig(s) 7. SECTIONAL VIEWS: 37 CFR 1.84 (h)(3) Haiching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast: Fig(s) Fig(s) Fig(s)		show figure as one entity.	**				i fi k
Fig(s) beginning with number 1. Fig(s) Enlarged view not labeled separetely or properly. 16. CORRECTIONS. 37 CFR 1.84(w) Fig(s) Corrections not made from prior PTO-948 dated Haiching not indicated for sectional portions of an object. Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) F			15. 1				
Enlarged view not labeled separetely or properly. Fig(s) 7. SECTIONAL VIEWS: 37 CFR 1.84 (h)(3) Haiching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s)	Views not labeled at	eparately or properly.				o in Alborc numeral	
Fig(s) Corrections not made from prior PTO-948 dated			16. (7
7. SECTIONAL VIEWS: 37 CFR 1.84 (h)(3) Haiching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Solid black shading not used for color contrast. Fig(s)	1 — · · · · · · · · · · · · · · · · · ·	ancied acparetery or property.				948	
Hatching not indicated for sectional portions of an object. 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Fig(s)		7 CFR 1.84 (h)(3)	· **		_		- 2
Sectional designation should be noted with Arabic or Solid black shading not used for color contrast: Roman numbers. Fig(s) Fig(s)	Hatching not indica	ted for sectional portions of an object.	17.				
Roman numbers. Fig(s)				Surface shading si	nown not appropriate	Contract:	<u>.</u>
					ng not used for color	CORILIZATE.	- 1
COMMENTS POMONE SHADING IN FIG. 1	Koman numbers. P	1g(s)			-	And the second	
COMMENTS POMONIA SHADING IN FIG. 1	L. Santa					23 3 3 F 6 B	
COMMENTS PONDUT SHADING IN FIG. 1	THE RESERVE OF THE PARTY OF		7.93				
	COMMENTS P	omore SHAINA	(0)	FIC. 1	·		
			$-\mathbf{u}$ \sim	1.4.1			
	No. of the second	gger i steget i strette kollette i sekke giller. Silver i kollet i steget i sekte kollet i sekte gjere		•		<u>. **</u> **	-
						•	•
					' ,	•	
	A 40 5 46 5						
	AND THE RESERVE OF THE PERSON			• 1	•		٠,
			. •				

DATE 4.21 CO TELEPHONE NO.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities--37 CFR 1.85

Althorough Carlo Carlos and Market San Carlo Calledge -

juddige, odsjede je oblimende godelik odinise. Odnoslav, menindanski oblim jarnos godelih silo

Delta to the delta to the transfer to the se

· 新海海流流 (1968-1976)

Charles City of the major development

File new drawings with the changes incorporated therein. The application number or the title of the invention, inventor's name, docket number (if any), and the name and telephone number of a person to call if the Office is unable to match the drawings to the proper application, should be placed on the back of each sheet of drawings in accordance with 37 CFR 1.84(e). Applicant may delay filing of the new drawings until receipt of the Notice of Allowability (PTOL-37). Extensions of time may be obtained under the provisions of 37 CFR 1.136. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Processing Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37). If a correction is determined to be unacceptable by the Office, applicant must arrange to have acceptable corrections resubmitted within the original three-month period to avoid the necessity of obtaining an extension of time and paying the extension fee. Therefore, applicant should file corrected drawings as soon a possible.

Failure to take corrective action within set (or extended) period will result in ABANDONMENT of the Application.

3. Corrections other than Informalities Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than informalities noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

there is no solution was a whole one of their

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities - 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in **ABANDONMENT** of the application.